

# W+50/600

---

NOTE: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Speed: **n = 975<sup>-1</sup> 50 Hz**  
Impeller: **Max. dia 420 mm**  
**Min. dia 280 mm**  
Pump inlet: **DN250**  
Pump outlet: **DN200**

Performance data refer to water at 20°C  
Permissible tolerance ±5%

NOTE:

Speed:  $n = 1450^{-1}$  50 Hz

Pump inlet: DN250  
Pump outlet:



# W+50/600

453413 ISS S 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed: **n = 1200<sup>-1</sup> 60 Hz**  
 Impeller: **Max. dia 420 mm**  
**Min. dia 280 mm**  
 Pump inlet: **DN250**  
 Pump outlet: **DN200**

Performance data refer to water at 20°C  
 Permissible tolerance ±5%



# W+50/600

453413 ISS S 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed:  $n = 1750^{-1}$  60 Hz  
 Impeller: Max. dia 420 mm  
 Min. dia 280 mm  
 Pump inlet: DN250  
 Pump outlet: DN200

Performance data refer to water at 20°C  
 Permissible tolerance  $\pm 5\%$

